

Series 211 & 215



Features

- Frame Depth = 3¼”
- Insulated Glass Unit Depth = 7/8”
- Soft Coat Low-E & Argon filled IGU
- Fusion Welded Frame & Sashes
- Double Strength Glass
- Strong Multi-Chamber Construction


Options

- Extruded Beige Color
- Painted Exterior Custom Color
- Triple Glazed Insulated Glass Unit
- Performa TC™ High Performance Low-E Upgrade
- Duralite® Spacer
- Between the Glass Grids or Exterior Applied Grids
- Architectural Shapes
- Nailing Fin Attachment
- Snap-on J Channel


PRODUCT SPECS

SERIES	STYLES	FRAME DEPTH	IG DEPTH	AAMA	ENERGY STAR	ENHANCED W/ PERFORMA TC™ GLASS PACKAGE
211	Picture	3¼”	7/8”		0.28	0.27
215	Deadlite					







211 PICTURE WINDOW




211 PICTURE WINDOW W/ 0° MULLION



211 PICTURE WINDOW
 W/ 0° MULLION



ARCHITECTURAL SHAPES




211 PICTURE WINDOW W/ 0° MULLION

FEATURES


- 3 1/4" FRAME DEPTH
- 7/8" INSULATED GLASS
- SOFT COAT LOW-E & ARGON FILLED IGU
- FUSION WELDED FRAME
- DESIGNER BEVELED PROFILE
- DOUBLE-STRENGTH GLASS
- STRONG MULTI-CHAMBER CONSTRUCTION

OPTIONAL


- TRIPLE-GLAZED INSULATED GLASS UNIT
- PERFORMA TC™ HIGH PERFORMANCE LOW-E UPGRADE
- BETWEEN THE GLASS OR EXTERIOR APPLIED GRIDS
- ARCHITECTURAL SHAPES
- NAILING FIN ATTACHMENT
- SNAP-ON J-CHANNEL
- EXTRUDED BEIGE COLOR
- PAINTED EXTERIOR CUSTOM COLOR




1 STANDARD HEAD
 PW 211




3 JAMB
 PW 211




4 JAMB
 PW 211



2 STANDARD SILL
 PW 211



5 0 DEGREE MULLION
 PW 211



6 0 DEGREE MULLION
 PW 211